



ENERGÍA

ADAPTABLES / COMPATIBLES / EQUIVALENTES

BATERÍAS 38

CARGADORES..... 46



RB^c COMPONENTES

ENERGÍA

RB052006.US — UNIVERSAL



C5: 172
C20: 220

AD / CO / EQ

↳ 2440207960, 76502GT, U2000X, US-2000

RB052006.TR — UNIVERSAL



C5: 185
C20: 225

AD / CO / EQ

↳ T105, 1305328GT-PLT, 2440207960, 76502

RB052006.DIS — UNIVERSAL



C5: 190
C20: 220

AD / CO / EQ

↳ EVGC6A-A

RB052005.US — UNIVERSAL



C5: 261
C20: 310

AD / CO / EQ

↳ U305X-AC, US-30

RB052005.TR — UNIVERSAL



C5: 258
C20: 315

AD / CO / EQ

↳ 2440208350, 2901012500, J305G-AC

RB052005.DIS — UNIVERSAL



C5: 290
C20: 330

AD / CO / EQ

↳ EV305A-A

RB052007.US — UNIVERSAL



C5: 297
C20: 385

AD / CO / EQ

↳ L16HC XC2, L16HCX-AC, L16X-AC US,

RB052007.TR — UNIVERSAL



C5: 320
C20: 390

AD / CO / EQ

↳ L16G-AC, 0400055, 2901010690, 290101163

RB052007.DIS — UNIVERSAL



C5: 340
C20: 390

AD / CO / EQ

↳ EVL16A-A

RB052010.US — UNIVERSAL



C5: 99
C20: 130
12 V

AD / CO / EQ

↳ US-31DC XC2, 4000314660

RB052010.TR — UNIVERSAL



C5: 105
C20: 130
12 V

AD / CO / EQ

↳ 4000314660, 30XH5

RB052010.DIS — UNIVERSAL



C5: 98
C20: 120
12 V

AD / CO / EQ

↳ EJ31A-A

RB052022.US — GE



C5: 122
C20: 155
12 V

AD / CO / EQ

↳ US 12 VRX XC3

RB052022.TR — GE



C5: 120
C20: 150
12 V

AD / CO / EQ

↳ 1256078GT, T113971GT, T1275, T-1275

RB052022.DIS — GE



C5: 125
C20: 145
12 V

AD / CO / EQ

↳ 1256078GT, EV12A-A



RB052016.US — UNIVERSAL

AD / CO / EQ



C5: 198
C20: 242

US 125 XC2

RB052016.TR — UNIVERSAL

AD / CO / EQ



C5: 195
C20: 240

105298GT, T125, T-125

RB052032.TR — UNIVERSAL

AD / CO / EQ



C5: 344
C20: 420

L-16P-AC, L16P-AC

RB052012.US — UNIVERSAL

AD / CO / EQ



C5: 213
C20: 251

US-145XC2

RB052011.TR — UNIVERSAL

AD / CO / EQ



C5: 215
C20: 260

51093, T-145

RB052014.TR — UNIVERSAL

AD / CO / EQ



C5: 70
C20: 85
12 V

24TMX

RB052019.US — UNIVERSAL

AD / CO / EQ



C5: 133
C20: 170
8 V

US 8VGC XC2

RB052019.TR — UNIVERSAL

AD / CO / EQ




C5: 145
C20: 170
8 V

T875, T-875, T-875 UT TERMINAL

RB052031 — UNIVERSAL

AD / CO / EQ



C5: 120
C20: 155
12 V

J-150 PLUS

✓ **NUEVA GAMA DE BATERÍAS DE LITIO.**



BLOQUES INTERCAMBIABLES PARA PLATAFORMAS Y COCHES DE GOLF.



SILVER-UP STANDARD

RB052100 UNIVERSAL



AD / CO / EQ

EN: 400
C20: 47

UNIVERSAL 210x175x175

RB052101 UNIVERSAL



AD / CO / EQ

EN: 500
C20: 56

UNIVERSAL 242x175x175

RB052107 UNIVERSAL



AD / CO / EQ

EN: 640
C20: 72

UNIVERSAL 276x175x175

RB052109 UNIVERSAL



AD / CO / EQ

EN: 760
C20: 92

UNIVERSAL 352x175x175


RB052112 UNIVERSAL



AD / CO / EQ

EN: 850
C20: 110

UNIVERSAL 393x175x175



REFERENCIA	C20 (Ah)	EN	LARGO	ANCHO	ALTO	UNID. PALET
RB052120	50	420	210	175	175	96
RB052121	52	440	210	175	190	96
RB052122	52	440	210	175	190	96
RB052123	60	560	242	175	175	80
RB052124	62	580	242	175	190	80
RB052125	62	580	242	175	190	80
RB052125	74	680	276	175	175	68
RB052126	76	700	276	175	190	68
RB052127	76	700	276	175	190	68
RB052128	90	760	315	175	175	56
RB052128	95	780	352	175	175	48
RB052129	97	800	352	175	190	48
RB052130	97	800	352	175	190	48



HEAVY DUTY-UP | TRUCK

RB052115 UNIVERSAL



EN: 900
C20: 135

511x175x226

RB052117 UNIVERSAL



EN: 1050
C20: 180

514x223x223

REFERENCIA	C20 (Ah)	EN	LARGO	ANCHO	ALTO	UNID. PALET
RB052158	115	720	344	171	232	36
RB052159	115	720	344	171	232	36
RB052160	130	740	344	171	283	36
RB052161	130	740	344	171	283	36
RB052162	135	900	511	175	226	24
RB052163	145	950	513	189	223	24
RB052164	165	950	354	241	285	18
RB052165	190	1200	514	223	223	21
RB052166	190	1200	514	223	223	21
RB052167	190	1200	514	223	223	21
RB052168	200	1250	514	223	223	21
RB052169	220	1225	518	274	240	18
RB052170	225	1250	518	274	240	18
RB052171	225	1250	518	274	240	18
RB052172	225	1250	518	274	240	18
RB052173	240	1300	518	274	240	18
RB052174	245	1275	518	274	240	18

GOLD-UP | PREMIUM



REFERENCIA	C20 (Ah)	EN	LARGO	ANCHO	ALTO	UNID. PALET
RB052131	57	620	210	175	190	96
RB052132	67	720	242	175	190	80
RB052133	85	780	276	175	190	68
RB052134	97	880	315	175	175	56
RB052135	105	950	352	175	190	48



RB^c COMPONENTES

ENERGÍA

EFB-UP

START-STOP



REFERENCIA	C20 (Ah)	EN	LARGO	ANCHO	ALTO	UNID. PALET
RB052136	60	680	242	175	190	80
RB052137	70	720	276	175	175	68
RB052138	75	780	276	175	190	68
RB052139	80	820	315	175	190	56
RB052140	95	920	352	175	190	48

AGM-UP

START-STOP



REFERENCIA	C20 (Ah)	EN	LARGO	ANCHO	ALTO	UNID. PALET
RB052141	60	680	242	175	190	80
RB052142	70	760	276	175	190	68
RB052143	80	800	315	175	190	56
RB052144	95	850	352	175	190	48
RB052145	105	900	393	175	190	48

JIS-UP

SILVER



REFERENCIA	C20 (Ah)	EN	LARGO	ANCHO	ALTO	UNID. PALET
RB052146	40	300	187	127	226	128
RB052147	40	300	187	127	226	128
RB052148	46	330	238	129	225	84
RB052149	46	330	238	129	225	84
RB052150	40	380	175	175	190	96
RB052151	60	500	230	173	220	64
RB052152	60	500	230	173	220	64
RB052153	80	520	260	173	222	51
RB052154	80	520	260	173	222	51
RB052155	105	720	303	173	225	42
RB052156	105	720	303	173	225	42
RB052157	110	800	330	172	240	48



RB052700 UNIVERSAL

AD / CO / EQ

2V
360 Ah

—04 PZS 360, 2440208370, 2440208510,

RB052701 UNIVERSAL

AD / CO / EQ

2V
240 Ah

—2440208420, 2901002360

RB052706 UNIVERSAL

AD / CO / EQ

2V
625 Ah

—05EPZ50625S

RB052705 UNIVERSAL

AD / CO / EQ

2V
620 Ah

RB052707 UNIVERSAL

AD / CO / EQ

2V
750 Ah

VASOS DE TRACCION



REFERENCIA	C. type (DIN)	C. C. 5h (Ah)	C.P. (Ah)	L (MM)	W (MM)	H (MM)
RB052709	2PzS120L	120	60	198	47	340./365
RB052710	3PzS180L	180	60	198	65	340./365
RB052711	4PzS240L	240	60	198	83	340./365
RB052712	5PzS300L	300	60	198	101	340./365
RB052713	6PzS360L	360	60	198	119	340./365
RB052714	7PzS420L	420	60	198	137	340./365
RB052715	8PzS480L	480	60	198	155	340./365

REFERENCIA	C. type (DIN)	C. C. 5h (Ah)	C.P. (Ah)	L (MM)	W (MM)	H (MM)
RB052715	2PzS160L	160	80	198	47	405./430
RB052716	3PzS240L	240	80	198	65	405./430
RB052717	4PzS320L	320	80	198	83	405./430
RB052718	5PzS400L	400	80	198	101	405./430
RB052719	6PzS480L	480	80	198	119	405./430
RB052720	7PzS560L	560	80	198	137	405./430
RB052721	8PzS640L	640	80	198	155	405./430



VASOS DE TRACCION



REFERENCIA	C. type (DIN)	C. C. 5h (Ah)	C.P. (Ah)	L (MM)	W (MM)	H (MM)
RB052723	2PzS180L	180	90	198	47	475./500
RB052724	3PzS270L	270	90	198	65	475./500
RB052700	4PzS360L	360	90	198	83	475./500
RB052725	5PzS450L	450	90	198	101	475./500
RB052726	6PzS540L	540	90	198	119	475./500
RB052727	7PzS630L	630	90	198	137	475./500
RB052728	8PzS720L	720	90	198	155	475./500

REFERENCIA	C. type (DIN)	C. C. 5h (Ah)	C.P. (Ah)	L (MM)	W (MM)	H (MM)
RB052730	2PzS210L	210	105	198	47	518./543
RB052731	3PzS315L	315	105	198	65	518./543
RB052732	4PzS420L	420	105	198	83	518./543
RB052733	5PzS525L	525	105	198	101	518./543
RB052734	6PzS630L	630	105	198	119	518./543
RB052735	7PzS735L	735	105	198	137	518./543
RB052736	8PzS840L	840	105	198	155	518./543

REFERENCIA	C. type (DIN)	C. C. 5h (Ah)	C.P. (Ah)	L (MM)	W (MM)	H (MM)
RB052738	2PzS230L	230	115	198	47	570./595
RB052739	3PzS345L	345	115	198	65	570./595
RB052740	4PzS460L	460	115	198	83	570./595
RB052741	5PzS575L	575	115	198	101	570./595
RB052742	6PzS690L	690	115	198	119	570./595
RB052743	7PzS805L	805	115	198	137	570./595
RB052744	8PzS920L	920	115	198	155	570./595

REFERENCIA	C. type (DIN)	C. C. 5h (Ah)	C.P. (Ah)	L (MM)	W (MM)	H (MM)
RB052746	2PzS250L	250	125	198	47	570./595
RB052747	3PzS375L	375	125	198	65	570./595
RB052748	4PzS500L	500	125	198	83	570./595
RB052706	5PzS625L	625	125	198	101	570./595
RB052707	6PzS750L	750	125	198	119	570./595
RB052749	7PzS875L	875	125	198	137	570./595
RB052750	8PzS1000L	1000	125	198	155	570./595



VASOS DE TRACCION

REFERENCIA	C. type (DIN)	C. C. 5h (Ah)	C.P. (Ah)	L (MM)	W (MM)	H (MM)
RB052752	3PzS420L	420	140	198	65	720./745
RB052753	4PzS560L	560	140	198	83	720./745
RB052754	5PzS700L	700	140	198	101	720./745
RB052755	6PzS840L	840	140	198	119	720./745
RB052756	7PzS980L	980	140	198	137	720./745
RB052757	8PzS1120L	1120	140	198	155	720./745
RB052744	8PzS920L	920	115	198	155	570./595

REFERENCIA	C. type (DIN)	C. C. 5h (Ah)	C.P. (Ah)	L (MM)	W (MM)	H (MM)
RB052759	3PzS465L	465	155	198	65	720./745
RB052705	4PzS620L	620	155	198	83	720./745
RB052760	5PzS775L	775	155	198	101	720./745
RB052761	6PzS930L	930	155	198	119	720./745
RB052762	7PzS1085L	1085	155	198	137	720./745
RB052763	8PzS1240L	1240	155	198	155	720./745
RB052728	8PzS720L	720	90	198	155	475./500

BATERIAS ESTACIONARIAS



C10 (Ah)	L (mm)	A (mm)	A. MAX (mm)	Celda (kg)
265	198	83	465-2	18,10
352	198	101	465-2	22,60
442	198	119	465-2	28,20
500	198	101	608-2	30,50
625	198	119	608-2	37,10
750	198	137	608-2	44,80
875	198	155	608-2	49,70

